

Hoya Safety Frame stock range - 2019



MOJO



Black-Red



Matt Black

Silver

Tortoise

Silver-Blue

Model	Colour/s	Frame Material
MOJO	Silver-Blue; Matt-Black; Black-Red; Silver & Tortoiseshell	TR90
Industry:	Positive seal for dusty conditions. Temples can be removed and replaced with strap to create a goggle	

Lens Options	CR39, Phoenix, Polycarbonate	Frame Size (A)
Lens Designs	Single Vision, Bifocal, Progressive	56
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	Frame Size (B)
Strap	Yes	36
Positive Seal	Yes	Frame Size (DBL)
Adjustable Nose Piece	Yes	21
Safety Standards	AS/NZS 1337 Low & Medium Impact	
Side Shield	Yes	
Spare parts available*	Nosepads, Gaskets, Temple Tips, Strap	

*Please note additional costs apply

LOCO



Crystal



Matt Black

Model	Colour/s	Frame Material
LOCO	Crystal & Matt Black	TR90
Industry:	Non-conductive plastic. Suitable for electricians and electrical industries	

Lens Options	CR39, Phoenix, Polycarbonate	Frame Size (A)
Lens Designs	Single Vision, Bifocal, Progressive	56
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	Frame Size (B)
Strap	No	37
Positive Seal	No	Frame Size (DBL)
Adjustable Nose Piece	No	21
Safety Standards	AS/NZS 1337 Low & Medium Impact	
Side Shield	Integrated design	
Spare parts available*	Nosepads	

*Please note additional costs apply

RIO



Katalina



Black-Yellow

NEW – Now comes with gasket and strap



Black-Blue



Black-Red



Black-Grey



Black-Orange



Brown



Black



Tortoise



Smoke

Model	Colour/s	Frame Material
RIO	Blk-Yellow; Blk-Blue; Blk-Red; Blk-Grey & Blk-Orange	TR90
Industry:	Suitable for mining, manufacturing, construction and agriculture industries.	

Lens Options	CR39, Phoenix, Polycarbonate
Lens Designs	Single Vision, Bifocal, Progressive
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl
Strap	Yes
Positive Seal	Yes
Adjustable Nose Piece	Yes
Safety Standards	AS/NZS 1337 Low & Medium Impact
Side Shield	Integrated design
Spare parts available*	Nosepads, Strap, Gasket

Frame Size (A)	57
Frame Size (B)	36
Frame Size (DBL)	16

*Please note additional costs apply

Model	Colour/s	Frame Material
KATALINA	Brown; Black; Tortoise & Smoke	TR90
Industry:	Suitable for mining, manufacturing, construction and agriculture industries.	

Lens Options	CR39, Phoenix, Polycarbonate
Lens Designs	Single Vision, Bifocal, Progressive
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl
Strap	No
Positive Seal	No
Adjustable Nose Piece	No
Safety Standards	AS/NZS 1337 Low & Medium Impact
Side Shield	Integrated design
Spare parts available*	No

Frame Size (A)	56
Frame Size (B)	36
Frame Size (DBL)	16

*Please note additional costs apply

Twister

**EVERYONE'S
UGLY.**



PROTECTION WITH ATTITUDE.

Robot



Model	Colour/s	Frame Material
TWISTER	Gloss Black & Brown Woodgrain	TR90
Industry:	Suitable for mining, manufacturing, construction and agriculture industries. Clear side shields, optical look	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	54
Strap	No	Frame Size (B)
Positive Seal	No	38
Adjustable Nose Piece	No	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	15
Side Shield	Clear Side Shield	
Spare parts available*	No	

*Please note additional costs apply

Model	Colour/s	Frame Material
ROBOT	Matt Black; Gloss Black & Crystal	TR90
Industry:	Suitable for most industries. Temples adjust for length (up to 11mm) and rotate for panto. Frame width of frame can be adjusted (up to 6mm)	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	55
Strap	No	Frame Size (B)
Positive Seal	No	42
Adjustable Nose Piece	No	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	16
Side Shield	Integrated design	
Spare parts available*	Temple tips	

*Please note additional costs apply

Flame

**EVERYONE'S
UGLY.**



PROTECTION WITH ATTITUDE.



Matt Black

**Also comes in Gloss Black*



Brown



Tortoise



Matt Black

**Also comes in Gloss Black*

Model	Colour/s	Frame Material
FLAME	Matt Black; Brown & Tortoiseshell	TR90
Industry:	Suitable for most industries.	

Model	Colour/s	Frame Material
Cannon	Matt Black & Gloss Black	TR90
Industry:	Suitable for most industries. Removable temples to insert strap for goggle use	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	55
Strap	No	Frame Size (B)
Positive Seal	No	37
Adjustable Nose Piece	No	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	18
Side Shield	Integrated design	
Spare parts available*	No	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	59
Strap	Yes	Frame Size (B)
Positive Seal	Yes	38
Adjustable Nose Piece	Yes	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	15
Side Shield	Integrated design	
Spare parts available*	Nosepads, Straps, Positive Seal, Arms	

*Please note additional costs apply

*Please note additional costs apply

Warhead



PROTECTION WITH ATTITUDE.



Matt Black

*Also comes in Gloss Black



Grey

Whirlwind



Grey



Gloss Black



Navy

Model	Colour/s	Frame Material
WARHEAD	Matt Black & Gloss Black	TR90
Industry:	Suitable for most industries.	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	58
Strap	Yes	Frame Size (B)
Positive Seal	Yes	37
Adjustable Nose Piece	No	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	15
Side Shield	Integrated design	
Spare parts available*	Temple tips, Straps, Positive Seals	

*Please note additional costs apply

Model	Colour/s	Frame Material
WHIRLWIND	Grey, Gloss Black & Navy	TR90
Industry:	Suitable for mining, manufacturing, construction and agriculture industries. Clear side shields, optical look	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	51
Strap	No	Frame Size (B)
Positive Seal	No	37
Adjustable Nose Piece	No	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	18
Side Shield	Clear Side Shield	
Spare parts available*	No	

*Please note additional costs apply

Insert Range

EVERYONE'S UGLY.



PROTECTION WITH ATTITUDE.



Model	Colour/s	Frame Material
INSERT	Matt Black	TR90
Industry:	Suitable for most industries. Insert allows for ranges up to +10/-10	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+10.00sph to -10.00sph, up to -6.00cyl	Various 65-73mm
Strap	Yes	Frame Size (B)
Positive Seal	Yes	Various 36-49mm
Adjustable Nose Piece	No	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	Various 15-21mm
Side Shield	Integrated design	
Spare parts available*	Temple tips, Straps, Positive Seals & Inserts	

*Please note additional costs apply

003 C-SAFE



Model	Colour/s	Frame Material
003	Gunmetal	Steel
Industry:	Suitable for most industries.	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	54
Strap	No	Frame Size (B)
Positive Seal	No	37
Adjustable Nose Piece	Yes	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	18
Side Shield	Clear Side Shield	
Spare parts available*	Nosepads, temple tips	

*Please note additional costs apply

Velocity C-SAFE



Velocity

Model	Colour/s	Frame Material
Velocity	Black	TR90
Industry:	Suitable for most industries.	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	55
Strap	No	Frame Size (B)
Positive Seal	No	37
Adjustable Nose Piece	Yes	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	16
Side Shield	Integrated design	
Spare parts available*	Nosepads	

*Please note additional costs apply

108 **cummingsOPTICAL**

prescription & non-prescription safety eyewear



Model	Colour/s	Frame Material
108	Gunmetal	Steel
Industry:	Suitable for most industries. Adjustable nose pads and clear side-shields	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	52 54
Strap	No	Frame Size (B)
Positive Seal	No	36 38
Adjustable Nose Piece	Yes	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	18 18
Side Shield	Clear Side Shield	
Spare parts available*	Nosepads, temple tips	

*Please note additional costs apply

200

202



Model	Colour/s	Frame Material
200	Gunmetal	Stainless
Industry:	Suitable for most industries. Adjustable nose pads and clear side-shields	

Model	Colour/s	Frame Material
202	Gunmetal	Steel
Industry:	Suitable for most industries. Adjustable nose pads and clear side-shields	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	52 54
Strap	No	Frame Size (B)
Positive Seal	No	37 39
Adjustable Nose Piece	Yes	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	16 16
Side Shield	Clear Side shield	
Spare parts available*	Nosepads, temple tips	

*Please note additional costs apply

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	50 52 54 56
Strap	No	Frame Size (B)
Positive Seal	No	46 48 50 52
Adjustable Nose Piece	Yes	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	20 20 20 20
Side Shield	Clear Side Shield	
Spare parts available*	Nosepads, temple tips	

*Please note additional costs apply

207

cummingsOPTICAL
prescription & non-prescription safety eyewear



Model	Colour/s	Frame Material
207	Gunmetal	Stainless
Industry:	Suitable for most industries. Adjustable nose pads and clear side-shields	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	52 54 56
Strap	No	Frame Size (B)
Positive Seal	No	37 39 41
Adjustable Nose Piece	Yes	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	16 16 18
Side Shield	Clear side shield	
Spare parts available*	Nosepads, temple tips	

*Please note additional costs apply

OG220 OnGuard



Model	Colour/s	Frame Material
OG220	Grey-Pink; Clear, Black, Purple-White & Brown	TR90
Industry:	Suitable for most industries, including medical and electrical fields. Non-Conductive material suitable for electricians. Brow bar for comfort	

Lens Options	CR39, Phoenix, Polycarbonate	
Lens Designs	Single Vision, Bifocal, Progressive	Frame Size (A)
Frame Script parameters	+6.00sph to -6.00sph, up to -6.00cyl	55 58
Strap	No	Frame Size (B)
Positive Seal	No, only brow bar	34 36
Adjustable Nose Piece	No	Frame Size (DBL)
Safety Standards	AS/NZS 1337 Low & Medium Impact	15 15
Side Shield	Integrated design	
Spare parts available*	Nosepad, Brow bar	

*Please note additional costs apply